

Malignant Tumours: A Homeopathic Approach

Prasanta Banerji and Pratip Banerji

PBH Research Foundation, 10/3/1 Elgin Road, Calcutta – 700020, India.

Tel: +91 33 2472845 • Fax: +91 33 2477275 • E-mail: pbhrf@vsnl.com

At present the prognosis of malignant tumours show a grim scenario, which led us to think whether alternative medicine has any role on these tumours. In our Research Foundation, we treat these cases with homeopathic medicines alone. The homeopathic medicines that were used did not produce any adverse reaction and the response rate is very encouraging. Each year we treat more than a thousand cases of malignant tumours comprising a wide range. These are - intracranial tumours (28.1%) and malignant tumours originating from lung (9.3%), oesophagus (6.5%), stomach (5.8%), liver (5.6%), breast (4.2%), cervix (3.7%), gall bladder (3%), tongue (2.8%), and others. In our long clinical experience, we found that intracranial tumours are very much responsive to our treatment in comparison to other varieties. 72% of all treated intracranial tumour cases were either totally regressed or showed prolonged arrest, while 28% cases either became worse or changed the treatment. In other varieties, in about 43% cases we could stop the progress of the lesion and the patients could live almost normal life for many years. In these cases metastasis did not happen to any organ. About 21% cases were cured while, 36% cases either became worse or changed the treatment. Recently we presented a few cases of cancer at the Cancer Advisory Panel meeting for Complementary and Alternative Medicines (CAPCAM) held on the 8th and 9th of July 1999 at Bethesda. Four of those cases that were followed meticulously and all original documents, radiological plates and histology slides confirmed by experts from the NIH, will be presented. Among these four cases, two cases are of stage III bronchogenic carcinoma treated with the medicines Kali Carbonicum 200c and Ferrum Phosphoricum 3x, and two cases are of stage III and stage IV oesophageal carcinoma who were treated with the medicine Condurango 30c. Two cases of intracranial tumours – craniopharyngioma and astrocytoma will also be presented who were treated successfully with Ruta graveolens 6c and Calcarea Phosphorica 3x. There was no complication during the treatment in any of these cases. All these cases have been followed up for several years and there is no evidence of any recurrence or any metastasis in any of them. The patients are now in normal health. We are still reviewing the cases.